

December 20, 2006  
DEQ/Public Notice

**PUBLIC NOTICE: ISSUE DATE: December 25, 2006**

**DEPARTMENT OF ENVIRONMENTAL QUALITY  
WATER DIVISION  
P. O. Box 1105  
Richmond, Virginia 23218  
Telephone: (804) 698-4000**

**PROPOSAL(S) TO ISSUE/REISSUE/AMEND/TERMINATE VA  
POLLUTANT DISCHARGE ELIMINATION SYSTEM (VPDES)  
PERMIT(S) AND STATE DISCHARGE CERTIFICATE(S) TO  
DISCHARGE TO STATE WATERS, PURSUANT TO U.S. PUBLIC  
LAW 92-500 AS AMENDED AND SECTION 62.1-44.2 ET SEQ OF  
THE CODE OF VIRGINIA AS AMENDED.**

The municipal, industrial or private facility owners on the attached list has applied for VPDES Permits and State Certificates to discharge treated wastes into the waters of the Commonwealth of Virginia, or for reissuance or amendment of existing permits.

The applicants treat or propose to treat sewage and/or industrial wastewaters conveyed to the treatment facilities, prior to discharge. On the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental quality (DEQ) proposes to issue/reissue/amend/terminate the permit(s) subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

**PROCEDURES FOR FORMULATION OF FINAL  
DETERMINATIONS**

Persons may comment in writing to the DEQ on the proposed permit within 30 days from the date of newspaper public notice. Comments shall include address and phone number of the writer, and shall contain a complete, concise statement of the factual basis for the comments. Only those comments received within this period will be considered by the DEQ. The DEQ may, upon request or upon its own motion, decide to hold a public

hearing if it determines that public response is significant. As of September 1, 1985, the mailing notice will be *informational only* and is considered to be confirmation of newspaper notices and not the official notice for comments.

All pertinent information is on file and may be inspected and arrangements made for copying at the Regional Office having jurisdiction as indicated in the first column of the attached list:

**Southwest Regional Office**, 355 Deadmore Street, P. O. Box 1688, Abingdon, Virginia 24212-1688, (276) 676-4800.

**West Central Regional Office**, 3019 Peters Creek Road, Roanoke, Virginia 24019, (540) 562-6700.

**Valley Regional Office**, 4411 Early Road, P. O. Box 3000, Harrisonburg, Virginia 22801, (540) 574-7800.

**Northern Regional Office**, 13901 Crown Court, Woodbridge, Virginia 22193, (703) 583-3800.

**Piedmont Regional Office**, 4949-A Cox Road, Glen Allen, Virginia 23060, (804) 527-5020.

**Tidewater Regional Office**, 5636 Southern Boulevard, Virginia Beach, Virginia 23462, (757) 518-2000.

**South Central Regional Office**, 7705 Timberlake Road, Lynchburg, Virginia 24502, (434) 582-5120.

Following the newspaper notice comment period, the DEQ will make its determination regarding name, the proposed permit. These determinations will then become effective unless the DEQ grants a public hearing. Due notice of any public hearing will be given.

**Permit Applicants**  
**Name and Address**

**PUBLIC NOTICE**

**West Central Regional Office**

The purpose of this notice is to seek public comment on a draft permit from DEQ that will allow the release of treated storm water into a water body in Roanoke County, Virginia. Applicant: Marathon Petroleum Company LLC, Roanoke Terminal, 5287 Terminal Road, Roanoke, Virginia 24014, Permit No. VA0086541. Facility: marathon Petroleum Company LLC, Roanoke Terminal, 5287 Terminal Road, Roanoke, Virginia 24014. The applicant proposes to release treated storm water at a maximum rate of 0.5 million gallons per day into a water body. The DEQ contact is: Lewis Pills, 3019 Peters Creek Road, Roanoke, Virginia 24019-2738, Phone: (540) 562-6789, Email: [ljpillis@deq.virginia.gov](mailto:ljpillis@deq.virginia.gov) and Fax: (540) 562-6860.

**Northern Virginia Regional Office**

The purpose of this notice is to seek public comment on a draft permit from DEQ that will allow the filling of 0.85 acre of surface waters, including 0.82 acre of permanent impacts and 0.03 acre of temporary impacts in Loudoun County, Virginia. Applicant: Loudoun County Office of Capital Construction, 211 Gibson Street, NW, Suite 123, Leesburg, Virginia 20176, Permit No. VWP-04-2147. The permit will allow the applicant to construct a recreational facility, a storm water management/irrigation facility with two water intake structures, and associated infrastructure, on a 405 acres parcel. The DEQ contact is: Byron Shumate, 13901 Crown Court, Woodbridge, Virginia 22193, Phone: (703) 583-3802, Email: [beshumate@deq.virginia.gov](mailto:beshumate@deq.virginia.gov) and Fax: (703) 583-3841.

Citizens may comment on the proposed issuance of a permit that allows the release of non-contact cooling water into a water body in Fairfax County, Virginia. Applicant: Aqua Virginia, P. O. Box 6906, Richmond, Virginia 23230, Permit No. VA0091995. Facility: Reston Lake Anne Air Conditioning (RELAC) 11485 Washington Plaza West, Reston, Virginia 20190. The applicant proposes to release cooling water at a maximum rate of 2.6 million gallons per day into Lake Anne in Fairfax County that is in the Potomac River watershed. The DEQ contact is: Susan Mackert, 13901 Crown Court, Woodbridge, Virginia 22193, Phone: (703) 583-3853, Email: [sdmackert@deq.virginia.gov](mailto:sdmackert@deq.virginia.gov) and Fax: (703) 583-3841.

Citizens may comment on the proposed reissuance of a permit that allows the release of overflows from a combined sewer system during wet weather events into a water body in Alexandria, Virginia. Applicant: City of Alexandria, 301 King Street, Room 4100, Alexandria, Virginia 22313, Permit No. VA0087068, Facility: Alexandria Combined Sewer System, Alexandria, Virginia 22313. The applicant proposes to release combined sewer system overflows during wet weather events at an average rate of 161.9 million gallons per overflow event into Hooffs Run, Hunting Creek and Oronoco Bay in Alexandria that is in the Potomac watershed. The DEQ contact is: Douglas Frasier, 13901 Crown Court, Woodbridge, Virginia 22193, Phone: (703) 583-3873, Email: [ddfrasier@deq.virginia.gov](mailto:ddfrasier@deq.virginia.gov) and Fax: (703) 583-3841.

**Tidewater Regional Office**

The purpose of this notice is to seek public comment on the draft permit issuance of Virginia Water Protection Individual Permit No. 04-2102 in Norfolk, Virginia. Applicant: City of Norfolk, Attn: Charles P. Joyner, P.E., City Hall Building, Room 700, 810 Union Street, Norfolk, Virginia 23510, Permit No. VWP-04-2102. the issuance of a permit will allow the City of Norfolk to widen, deepen and maintain the Phase II navigation channel in the main body of Pretty Lake to enhance recreational boating. The DEQ contact is: Sheri Kattan, 5636 Southern Boulevard, Virginia Beach, Virginia 23462, Phone: (757) 518-2156, Email: [sakattan@deq.virginia.gov](mailto:sakattan@deq.virginia.gov) and Fax: (757) 518-2009.

December 20, 2006  
DEQ/Public Notice

The purpose of this notice is to seek public comment on a draft permit from DEQ that will allow the release of treated domestic wastewater from a restaurant into a water body in Wattsville, Virginia. Applicant: Mr. Ray Twiford, P. O. Box 13, Wattsville, Virginia 23483, Permit No. VA0092037. Facility: Ray's Shanty, 33014 Chincoteague Road, Wattsville, Virginia 23483. The applicant proposes to discharge treated domestic sewage from a wastewater treatment plant, design flow of 0.007 mgd, at a 200 seat restaurant. The DEQ contact is: Melinda Woodruff, 5636 Southern Boulevard, Virginia Beach, Virginia 23462, Phone: (757) 518-2174, Email: [mywoodruff@deq.virginia.gov](mailto:mywoodruff@deq.virginia.gov) and Fax: (757) 518-2009.

The purpose of this notice is to seek public comment on the modification of Virginia Water Protection Individual Permit No. 02-2190 in James City County, Virginia. The modification will allow the permittee to reduce wetland impacts by 0.71 acres and stream impacts by 1,311 linear feet, to reduce the on-site preserved upland buffers adjacent to wetlands and streams by 32.53 acres and to provide 38.79 new preserved upland buffers adjacent to wetlands and streams at the former Boy Scout Tract located directly west and adjacent to the development site. Applicant: Colonial Heritage, LLC, 6600 Wiltshire Road, Williamsburg, Virginia 23188. The DEQ contact is: Sheri Kattan, 5636 Southern Boulevard, Virginia Beach, Virginia 23462, Phone: (757) 518-2156, Email: [sakattan@deq.virginia.gov](mailto:sakattan@deq.virginia.gov) and Fax: (757) 518-2009.

Citizens are invited to comment on a proposed permit that will allow the release of treated wastewater, storm water and cooling water from a regulated industrial activity into a waterway in Chesapeake, Virginia. Applicant: Virginia Electric and Power Company – Chesapeake Energy Center, Vepco Street, Chesapeake, Virginia Permit No. VA0004081. The applicant proposes to discharge at a rate of 483 million gallons per day. The DEQ contact is: Mark H. Sauer, 5636 Southern Boulevard, Virginia Beach, Virginia 23462, Phone: (757) 518-2105, Fax: (757) 518-2103 and Email: [mhsauer@deq.virginia.gov](mailto:mhsauer@deq.virginia.gov).

The purpose of this notice is to seek public comment on a draft permit from DEQ that will allow the release of treated wastewater from a regulated municipal activity into a waterway in Virginia Beach, Virginia. Applicant: Hampton Roads Sanitation District (HRSD), P. O. Box 5911, Virginia Beach, Virginia 23471, Permit No. VA0081264. Facility: Atlantic Treatment Plant, 645 Firefall Drive, Virginia Beach, Virginia 23454. The applicant proposes to release their discharges at a rate of 36 million gallons per day into the Atlantic Ocean in the Atlantic watershed. The DEQ contact is: Deanna Austin, 5636 Southern Boulevard, Virginia Beach, Virginia 23462, Phone: (757) 518-2008, Email: [ddaustin@deq.virginia.gov](mailto:ddaustin@deq.virginia.gov) and Fax: (757) 518-2009.

The purpose of this notice is to seek public comment on the draft permit issuance of Virginia Water Protection Individual Permit No. 06-0628 in Chesapeake, Virginia. The issuance of a permit that will allow the permittee to permanently impact 3.33 acres of non-tidal wetlands, and 950 linear feet of open waters for the purpose of constructing a residential subdivision and associated infrastructure. The DEQ contact is: Ryan D. Winz, 5636 Southern Boulevard, Virginia Beach, Virginia 23462, Phone: (757) 518-2024, Email: [rdwinz@deq.virginia.gov](mailto:rdwinz@deq.virginia.gov) and Fax: (757) 518-2009.

#### **Southwest Regional Office**

The purpose of this notice is to seek public comment on a draft permit from DEQ that will allow the release of treated wastewater into a water body in Tazewell County, Virginia. Applicant: Virginia Department of Corrections – Western Region, P. O. Box 1027, Marion, Virginia 24354, Permit No. VA0023582. Facility: Tazewell Correctional Unit #31 STP, 1245 Clearfork Road, six miles east of Tazewell, Virginia. The applicant proposes to release treated sewage from an activated sludge sewage treatment plant at a rate of 0.024 million gallons per day into a water body. The DEQ contact is: Charles Gates, P. O. Box 1688, 355 Deadmore Street, Abingdon, Virginia 24212-1688, Phone: (276) 676-4800, Email: [clgates@deq.virginia.gov](mailto:clgates@deq.virginia.gov) and Fax: (276) 676-4899.

December 20, 2006  
DEQ/Public Notice

The purpose of this notice is to seek public comment on a draft permit from DEQ that will allow the release of treated wastewater into a water body in Tazewell County, Virginia. Applicant: Virginia Department of Corrections – Western Region, P. O. Box 1027, Marion, Virginia 24354, Permit No. VA0020672. Facility: Appalachian Detention Center Unit #29 STP, P. O. Box 2110, Honaker, Virginia 24260, State Route 640 East of Route 80. The applicant proposes to release treated sewage from an activated sludge sewage treatment plant at a rate of 0.021 million gallons per day into a water body. The DEQ contact is: Charles Gates, P. O. Box 1688, 355 Deadmore Street, Abingdon, Virginia 24212-1688, Phone: (276) 676-4800, Email: [clgates@deq.virginia.gov](mailto:clgates@deq.virginia.gov) and Fax: (276) 676-4899.

The purpose of this notice is to seek public comment on a draft permit from DEQ that will allow the release of treated wastewater into a water body in Dickenson County, Virginia. Applicant: Dickenson-Russell Coal Company, LLC, 7546 Gravel Lick Road, Cleveland, Virginia 24225, Permit No. VA0067041. Facility: McClure No. 1 Mine STP, State Route 63, McClure, Virginia 24269. The applicant proposes to release treated sewage at a rate of 21,000 gallons per day into a water body. The DEQ contact is: Clairise R. Shaheen, P. O. Box 1688, 355 Deadmore Street, Abingdon, Virginia 24212, Phone: (276) 676-4800, Email: [crshaheen@deq.virginia.gov](mailto:crshaheen@deq.virginia.gov) and Fax: (276) 676-4899.

The purpose of this notice is to seek public comment on a draft permit from DEQ that will allow the release of treated wastewater into a water body in Washington County, Virginia. Applicant: Washington County Public Schools, 812 Thompson Drive, Abingdon, Virginia 24210, Permit No. VA0065315. Facility: Watauga Road Elementary School Sewage Treatment Plant, 23181 Watauga Road, Abingdon, Virginia 24211. The applicant proposes to release treated sewage at a rate of 0.012 million gallons per day into a water body. The DEQ contact is: Charles Gates, P. O. Box 1688, 355 Deadmore Street, Abingdon, Virginia 24212-1688, Phone: (276) 676-4800, Email: [clgates@deq.virginia.gov](mailto:clgates@deq.virginia.gov) and Fax: (276) 676-4899.

The purpose of this notice is to seek public comment on a draft permit from DEQ that will allow the release of treated wastewater into a water body in Washington County, Virginia. Applicant: Washington County Public Schools, 812 Thompson Drive, Abingdon, Virginia 24210. Facility: Rhea Valley Elementary School Sewage Treatment Plant, 31305 Rhea Valley Road, Meadowview, Virginia 24361. The applicant proposes to release treated sewage at a rate of 0.012 million gallons per day into a water body. The DEQ contact is: Charles Gates, P. O. Box 1688, 355 Deadmore Street, Abingdon, Virginia 24212-1688, Phone: (276) 676-4800, Email: [clgates@deq.virginia.gov](mailto:clgates@deq.virginia.gov) and Fax: (276) 676-4899.

The purpose of this notice is to seek public comment on two draft permits from DEQ that will allow the release of treated wastewater into water bodies in Dickenson County, Virginia. Applicant: Dickenson County Public Schools, P. O. Box 1127, Clintwood, Virginia 24228, Permit No. VA0027430 (Ervinton High School Sewage Treatment Plant), and Permit No. VA0027413 (Longs Fork Elementary School Sewage Treatment Plant). Facilities: Ervinton High School, 123 Doctor Ralph Stanley Highway, Nora, Virginia 24272, Longs Fork Elementary School, 1280 Browning Hollow, Clintwood, Virginia 24228. The applicant proposes to release treated sewage from the Ervinton High School STP and the Longs Fork Elementary School STP into two separate water bodies. The DEQ contact is: Steve E. Artrip, 355 Deadmore Street, P. O. Box 1688, Abingdon, Virginia 24212, Phone: (276) 676-4808, Email: [seatrip@deq.virginia.gov](mailto:seatrip@deq.virginia.gov).

#### **South Central Regional Office**

The purpose of this notice is to seek public comment on a draft permit from DEQ that will allow the release of treated wastewater into a water body in Mecklenburg County, Virginia. Applicant: Mecklenburg County School Board, P. O. Box 190, Boydton, Virginia 23917, Permit No. VA0021768. Facility: Parkview High School STP, U.S. 1 & 58, 3 miles west of South Hill, Mecklenburg County. The applicant proposes to release treated sewage at a rate of 0.0104 million gallons per day into a water body. The DEQ contact is: Leah R. Revelle, 7705 Timberlake Road, Lynchburg, Virginia 24502, Phone: (434) 582-6219, Email: [lrreveille@deq.virginia.gov](mailto:lreveille@deq.virginia.gov) and Fax: (434) 582-5125.

December 20, 2006  
DEQ/Public Notice

The purpose of this notice is to seek public comment on a draft permit from DEQ that will allow the release of treated wastewater into a water body in Mecklenburg County, Virginia. Applicant: Mecklenburg County School Board, P. O. Box 190, Boydton, Virginia 23917, Permit No. VA0021857. Facility: Bluestone Middle School STP, State Route 698, just east of State Route 49, Mecklenburg County. The applicant proposes to release treated sewage at a rate of 0.0096 million gallons per day (mgd) into a water body. The DEQ contact is: Leah R. Revelle, 7705 Timberlake Road, Lynchburg, Virginia 24502, Phone: (434) 582-6219, Email: [lrrevelle@deq.virginia.gov](mailto:lrrevelle@deq.virginia.gov) and Fax: (434) 582-5125.

The purpose of this notice is to seek public comment on a draft permit from DEQ that will allow the release of treated wastewater into a water body in Mecklenburg County, Virginia. Applicant: Mecklenburg County School Board, P. O. Box 190, Boydton, Virginia 23917, Permit No. VA0021776. Facility: Bluestone High School STP, Intersection of State Routes 688 & 697, Mecklenburg County. The applicant proposes to release treated sewage at a rate of 0.0104 million gallons per day (mgd) into a water body. The DEQ contact is: Leah R. Revelle, 7705 Timberlake Road, Lynchburg, Virginia 24502, Phone: (434) 582-6219, Email: [lrrevelle@deq.virginia.gov](mailto:lrrevelle@deq.virginia.gov) and Fax: (434) 582-5125.

The purpose of this notice is to seek public comment on a draft permit from DEQ that will allow the release of treated wastewater into a water body in Mecklenburg County, Virginia. Applicant: Mecklenburg County School Board, P. O. Box 190, Boydton, Virginia 23917, Permit No. VA0021879. Facility: Parkview Middle School STP, State Route 650, just east of U.S. 1 & 58, Mecklenburg County. The applicant proposes to release treated sewage at a rate of 0.0096 million gallons per day (mgd) into a water body. The DEQ contact is: Leah R. Revelle, 7705 Timberlake Road, Lynchburg, Virginia 24502, Phone: (434) 582-6219, Email: [lrrevelle@deq.virginia.gov](mailto:lrrevelle@deq.virginia.gov) and Fax: (434) 582-5125.